

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	38	(US-20030227215-\$ or US-20030040862-\$ or US-20040212247-\$ or US-20030214186-\$ or US-20010013701-\$).did. or (US-5820515-\$ or US-5630772-\$ or US-5287773-\$ or US-6018692-\$ or US-6401019-\$ or US-6679810-\$ or US-7092809-\$ or US-6260934-\$ or US-6086515-\$ or US-5415467-\$ or US-7136735-\$ or US-7051859-\$ or US-7169082-\$ or US-6994407-\$ or US-5925087-\$ or US-6033340-\$ or US-6321144-\$ or US-5905349-\$ or US-6278916-\$ or US-6527076-\$ or US-5760682-\$ or US-5078109-\$ or US-5073157-\$ or US-4550816-\$ or US-7206682-\$).did. or (EP-1327553-\$ or WO-3043861-\$ or EP-681123-\$).did. or (JP-09177963-\$).did. or (US-20080086252-\$ or KR-2002015476-\$ or US-5287773-\$ or FR-2828450-\$).did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/25 14:02
L2	4	L1 and ((vehicle adj speed) same (engine adj torque))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/25 14:02
L4	0	WO03013897	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/25 15:08
L5	0	WO003013897	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/25 15:09
L6	4	"03013897"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/25 15:09
S1	9	((WERNER) near2 (BERNZEN)). INV.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/21 15:26
S2	21961	(influen\$3 or adjust\$3 or control\$4 or impact\$3 or regulat\$3 or increas\$3 or decreas\$3 or balanc\$3) same (engine) same (torque or torsion or force or power or turn) same (uphill or inclin\$5 or tilt or pitch or ramp\$3 or (slope adj road))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 16:26

S3	615	(influenc\$3 or adjust\$3 or control\$4 or impact\$3 or regulat\$3 or increas\$3 or decreas\$3 or balanc\$3) same (engine) same (torque or torsion or force or power or turn) same (uphill or inclin\$5 or tilt or pitch or ramp\$3 or (slope adj road)) same (brak\$3 near\$3 (depress\$3 or deflect\$3 or deflex\$3 or refract\$3 or bend\$3 or engag\$3 or actuat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 16:30
S4	3454186	vehicle or car or automobile	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 16:31
S5	519	S3 and S4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 16:31
S8	576	(influenc\$3 or adjust\$3 or control\$4 or impact\$3 or regulat\$3 or increas\$3 or decreas\$3 or balanc\$3) same (engine) same (torque or torsion or force or power) same (uphill or inclin\$5 or tilt or pitch or ramp\$3 or (slope adj road)) same (brak\$3 near\$3 (depress\$3 or deflect\$3 or deflex\$3 or refract\$3 or bend\$3 or engag\$3 or actuat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 16:33
S9	488	S4 and S8	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 16:34
S10	28	((influenc\$3 or adjust\$3 or control\$4 or impact\$3 or regulat\$3 or increas\$3 or decreas\$3 or balanc\$3) and (engine) and (torque or torsion or force or power) and (uphill or inclin\$5 or tilt or pitch or ramp\$3 or (slope adj road)) and (brak\$3 near\$3 (depress\$3 or deflect\$3 or deflex\$3 or refract\$3 or bend\$3 or engag\$3 or actuat\$3))). ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/21 16:35

S11	9	"6018692"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 11:12
S12	14	("4735274"   "4931930"   "5742141"   "5764015"   "5931252"   "5931253"   "5945799").PN. OR ("6018692").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/22 11:14
S13	11	"6086515"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 11:23
S14	20	("3645352"   "4681196"   "4717207"   "4865175"   "5223760"   "5415467"   "5452946"   "5920193"   "5984429"   "6009984"   "6086515"   "6256568"   "6260934"   "6286617"   "6287236"   "6315372"   "6401899").PN. OR ("6679810").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/22 11:30
S15	0	ep0212922	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 11:34
S16	1	ep00212922	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 11:34
S17	11	"5630772"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 11:56
S18	6	("5630772"   "6039673"   "6748311"   "6896340"   "6899212"   "6920383").PN. OR ("7136735").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/22 11:59
S19	875	(determin\$3 or detect\$3 or monitor\$3 or identif\$4) near5 (engine or motor) near3 (torque or torsion or force or power or turn) same (uphill or inclin\$5 or tilt or pitch or ramp \$3 or (slope adj road))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 12:23

S20	16	(determin\$3 or detect\$3 or monitor\$3 or identif\$4) near5 (engine or motor) near3 (torque or torsion or force or power) same (uphill or inclin\$5 or tilt or pitch or ramp\$3 or (slope adj road)) same (brak\$3 near3 (depress\$3 or deflect\$3 or deflex\$3 or refract\$3 or bend\$3 or engag\$3 or actuat\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 12:25
S21	17	"5925087"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 12:38
S22	2	("5925087").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 12:43
S23	0	("16and(brakesametorque)").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 12:43
S24	0	("6416441.pn.").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 12:45
S25	2	"6416441".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 12:45
S26	0	("16and(torquesamebrake)").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 12:47
S27	1	S22 and (torque same brake)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 12:47

S28	1	S25 and (uphill or inclination) same torque	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 12:58
S29	2	("5925087").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/08/22 16:08
S30	1	S29 and (uphill or inclination or slope) same torque	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 16:08
S31	1	S29 and (uphill or inclination or slope) same (engine adj torque)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 16:09
S32	114	(engine adj torque) same (brake) same (inclination or ramp or uphill)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 18:54
S33	84	S32 and (actual or nominal or maximum or minimum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 18:55
S34	21	S32 and ((actual or nominal or maximum or minimum) near 5 (engine adj torque))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 18:56
S35	317	701/78.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 19:10
S36	279	701/84.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 19:10

S37	9	S35 and S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 19:10
S38	3	S36 and ((engine adj torque) same (brake) same (inclin\$4 or ramp or uphill))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/22 19:13
S39	24	("20010044691"   "20010049578"   "20020107106"   "4921065"   "5065836"   "5224045"   "5703776"   "5941614"   "5957552"   "5997108"   "6078860"   "6122588"   "6193333"   "6233514"   "6243640"   "6332450"   "6349253"   "6434466"   "6527076"   "6535809"   "6609994"   "6654677"   "6732039"   "7134985").PN. OR ("7319927").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/22 19:15
S40	539	(brake near3 (position or deflection or actuat\$4 or depres\$4)) same (engine adj torque)	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/22 19:28
S41	47	(brake near3 (position or deflection or actuat\$4 or depres\$4)) same (engine adj torque) same (inclin\$5 or up \$hill or uphill or ramp or slope)	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/22 19:29
S42	26	(US-20030227215-\$ or US- 20030040862-\$ or US- 20040212247-\$ or US- 20030214186-\$.did. or (US- 5820515-\$ or US-5630772-\$ or US-5287773-\$ or US- 6018692-\$ or US-6401019-\$ or US-6679810-\$ or US- 7092809-\$ or US-6260934-\$ or US-6086515-\$ or US- 5415467-\$ or US-7136735-\$ or US-7051859-\$ or US- 7169082-\$ or US-6994407-\$ or US-5925087-\$.did. or (EP- 1327553-\$ or WO-3043861-\$ or EP-681123-\$.did. or (JP- 09177963-\$.did. or (US- 20080086252-\$ or KR- 2002015476-\$ or US-5287773- \$).did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/23 15:17

S43	8	(engine adj torque) near5 (increas\$3 or decreas\$3 or adjust\$3 or maintain\$3 or more or less) near3 (brake near2 (position or deflect\$3 or depres\$4 or actuat\$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/23 15:22
S44	16	((engine adj torque) and (increas\$3 or decreas\$3 or adjust\$3 or maintain\$3 or more or less) and (brake near2 (position or deflect\$3 or depres\$4 or actuat\$4))).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/23 15:25
S45	6	((engine adj torque) and (increas\$3 or decreas\$3 or adjust\$3 or maintain\$3 or more or less) and ((brake adj pedal) near2 (variable or state or status or position or deflect \$3 or depres\$4 or actuat\$4))).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/23 15:37
S46	946	((engine or motor) adj torque) and (brake)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/23 15:47
S47	3	((engine or motor) adj torque) and (brake adj pedal adj (vaible or position or state or actuat\$3 or deflect\$3 or pres\$5))).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/23 15:49
S48	504	((engine or motor) adj torque) and (brake adj pedal adj (vaible or position or state or actuat\$3 or deflect \$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/23 15:51
S49	43	S48 and creep\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/23 15:52
S50	21	((engine or motor) adj torque) with (brake adj pedal adj (vaible or position or state or actuat\$3 or deflect \$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/23 16:02

S51	24	("20030214186"   "4382604"   "4717207"   "4771387"   "4805105"   "5706909"   "5779328"   "5916062"   "6019436"   "6086515"   "6260934"   "6269295"   "6286617"   "6401015"   "6401899"   "6439675"   "6502908"   "6530450"   "6543567"   "6554744"   "6629024"   "6679810"   "6739676"   "6748310").PN. OR ("7092809").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/08/23 16:38
S52	9	((engine or motor or driv\$3) adj torque) and (brake adj pedal adj (vaiaable or position or state or actuat\$3 or deflect \$3 or pres\$5))).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/23 16:45
S53	32	((engine or motor or driv\$3) adj torque) with (brake adj pedal adj (vaiaable or position or state or actuat\$3 or deflect \$3)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/23 16:46
S54	5	"6527076"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/23 16:55
S57	2	"20010013701"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 10:44
S58	18	(maximum or upper\$limit or (upper adj limit) or larg\$3 or highest or tange or amplitude or greatest) near3 ((engine or motor) adj (torque or force)) near5 (inclin\$5 or up\$slope or down\$slope or up\$hill or down \$hill or ramp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 11:08
S59	21	(maximum or upper\$limit or (upper adj limit) or larg\$3 or highest or range or amplitude or greatest) near3 ((engine or motor) adj (torque or force)) near5 (inclin\$5 or up\$slope or down\$slope or up\$hill or down \$hill or ramp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 11:17



S60	511	(maximum or upper\$limit or (upper adj limit) or larg\$3 or highest or range or amplitude or greatest) same ((engine or motor) adj (torque or force)) same (inclin\$5 or up\$slope or down\$slope or up\$hill or down\$hill or ramp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 11:23
S61	23	((maximum or upper\$limit or (upper adj limit) or larg\$3 or highest or range or amplitude or greatest) and ((engine or motor) adj (torque or force)) and (inclin\$5 or up\$slope or down\$slope or up\$hill or down\$hill or ramp)).ab.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 11:24
S63	3	"20060106520"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 11:33
S64	38	(US-20030227215-\$ or US-20030040862-\$ or US-20040212247-\$ or US-20030214186-\$ or US-20010013701-\$).did. or (US-5820515-\$ or US-5630772-\$ or US-5287773-\$ or US-6018692-\$ or US-6401019-\$ or US-6679810-\$ or US-7092809-\$ or US-6260934-\$ or US-6086515-\$ or US-5415467-\$ or US-7136735-\$ or US-7051859-\$ or US-7169082-\$ or US-6994407-\$ or US-5925087-\$ or US-6033340-\$ or US-6321144-\$ or US-5905349-\$ or US-6278916-\$ or US-6527076-\$ or US-5760682-\$ or US-5078109-\$ or US-5073157-\$ or US-4550816-\$ or US-7206682-\$).did. or (EP-1327553-\$ or WO-3043861-\$ or EP-681123-\$).did. or (JP-09177963-\$).did. or (US-20080086252-\$ or KR-2002015476-\$ or US-5287773-\$ or FR-2828450-\$).did.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2008/08/25 11:47
S65	2	S64 and ((creep or (low adj speed\$3)) same (transm\$3 or gearbox))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 11:48

S66	1911	(determin\$3 or detect\$3 or measur\$3) near5 ((road or drive or street or path) near2 ( inclin\$5 or up\$hill or down \$hill or slope))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 12:04
S67	465	S66 and longitud\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 12:06
S68	483	S66 and (longitud\$5 or x \$direction\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 12:06
S71	208	S68 and (lateral or y\$direction \$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 12:08
S72	16	S71 and (yaw adj angle)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/25 12:09

8/ 25/ 2008 3:15:55 PM

C:\ Documents and Settings\ halgahaim\ My Documents\ EAST\ Workspaces\ 10583968.wsp